



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/696,336

10/28/2003

Patrick Case

101-27-018

8094

7590

07/28/2004

KOPPEL, JACOBS, PATRICK & HEYBL
Suite 107
555 St. Charles Drive
Thousand Oaks, CA 91360

EXAMINER

ESTRADA, ANGEL R


ART UNIT

PAPER NUMBER

2831

DATE MAILED: 07/28/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/696,336	CASE, PATRICK	
	Examiner	Art Unit	
	Angel R. Estrada	2831	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-23 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-11 and 13-23 is/are rejected.
- 7) ☒ Claim(s) 12 is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 28 October 2003 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____. |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>2/4/04</u> . | 6) <input type="checkbox"/> Other: ____. |

DETAILED ACTION

Information Disclosure Statement

1. The information disclosure statement (IDS) submitted on February 4, 2004 has been considered by the Examiner

Drawings

2. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the *"the pipe-fitting surface comprises: an approximately smooth surface to accept a pressure type bushing for coupling the conduit or pipe to the pipe-fitting surface when the knockout plug is removed, (claim 4) must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.*

Corrected drawing sheets are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the

changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Objections

3. Claims 15-24 are objected to because of the following informalities:

Claims 15-24 are misnumbered (since the application doesn't have a claim 14) and have been renumbered as 14-23. The applicant should refer to the claim numbers by their new numbers only.

Claim 16 line 7-8, change "a seal", second occurrence, to --the seal--.

Appropriate correction is required.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-11 and 13-23 are rejected under 35 U.S.C. 102(b) as being anticipated by Previdi et al (EP 0514861, hereinafter Previdi).

Regarding claim 1, Previdi discloses an electrical fixture (see figure1), comprising: an electrical enclosure (8); a knockout plug (1) coupled to the electrical enclosure (8) with an interference fit (see figure 2) and a seal (20) seated on a circumference of the knockout plug (see figure 3) between the knockout plug (1) and

Art Unit: 2831

electrical enclosure (8, see figure 2); wherein the seal (20) provides an environmental barrier between an interior and exterior the electrical enclosure (column 2 lines 14-31)

Regarding claim 2, Previdi discloses the fixture (see figure 1) wherein the electrical enclosure (8) comprises: a pipe-fitting surface (5) located approximately coaxially with the knockout plug (1).

Note: This limitation "*to accept one of a conduit or pipe, when the knockout plug is removed*" has no been giving any patentable weight, because it has been held that a recitation with respect to the manner in which a claimed apparatus is intended to be employed does not differentiate the claimed apparatus from a prior art apparatus satisfying the claimed structural limitations. Ex parte Masham, 2 USPQ2d 1647 (1987).

Regarding claim 3, Previdi discloses the fixture (see figure 1) wherein the pipe-fitting (5) comprises: a tapered-threaded surface (see figure 2).

Note: This limitation "*to accept one of a threaded portion of the conduit or pipe*" has no been giving any patentable weight, because it has been held that a recitation with respect to the manner in which a claimed apparatus is intended to be employed does not differentiate the claimed apparatus from a prior art apparatus satisfying the claimed structural limitations. Ex parte Masham, 2 USPQ2d 1647 (1987).

Regarding claim 4, Previdi discloses the fixture (see figure 1), wherein the pipe-fitting surface (5) comprises: an approximately smooth surface (27).

Note: This limitation "*to accept a pressure type bushing for coupling the conduit or pipe to the pipe-fitting surface when the knockout plug is removed*" has no been giving any patentable weight, because it has been held that a recitation with respect to the manner in which a claimed apparatus is intended to be employed does not differentiate the claimed apparatus from a prior art apparatus satisfying the claimed structural limitations. Ex parte Masham, 2 USPQ2d 1647 (1987).

Regarding claim 5, Previdi discloses the fixture (see figure 1) wherein the knockout plug (1) comprises: an interference surface (4) formed circumferentially around a portion of the knockout plug (1) to enable the interference fit with the electrical enclosure (see figure 2).

Regarding claim 6, Previdi discloses the fixture (see figure 1) wherein the electrical enclosure (8) comprises: a knockout (6) that operable to receive the knockout plug (1).

Regarding claim 7, Previdi discloses the fixture (see figure 1) wherein the knockout (6) further comprises: a fitting surface (5) complementary to the interference surface (4) to enable the interference fit when the fitting and interference surfaces are pressed together (see figure 2).

Regarding claim 8, Previdi discloses the fixture (see figure 1) wherein the knockout plug (1) comprises: a sealing surface (3, or see figure 2 and 3) complementary to the seal (20) to enable the seal to couple with the knockout plug (see figure 2 and 3).

Regarding claim 9, Previdi discloses the fixture (see figure 1), wherein the electrical enclosure (8) comprises: a knockout (6) having an enclosure-sealing surface (27) complementary to the sealing surface (see figure 2).

Regarding claim 10, Previdi discloses an electrical fixture (see figure 1), comprising: a knockout plug (1) having plug sealing (3) and interference surfaces (defined by flange 10, hereinafter 10); an electrical enclosure (8) having a fitting surface (see figure 2, defined by the enclosure sidewalls adjacent to the knockout 6) complementary the interference surface (10) and forming an interference fit with the interference surface (see figure 2); an enclosure-sealing surface (27) positioned adjacent to the fitting surface (see figure 2); a pipe-fitting surface (5) approximately coaxial with the enclosure sealing (27) and fitting surfaces (see figure 2); and a seal (20) seated circumferentially between said plug sealing (3) and enclosure-sealing

Art Unit: 2831

surfaces (27); wherein the seal (20) provides an environmental barrier between interior and exterior portions the electrical enclosure (column 2 lines 14-31).

Regarding claim 11, Previdi discloses the fixture (see figure 1), wherein the pipe-fitting surface (5) comprises: a tapered-threaded surface (see figure 2)

**Note: This limitation "to accept one of a threaded portion of the conduit or pipe when the knockout plug is removed from the electrical enclosure" has no been giving any patentable weight, because it has been held that a recitation with respect to the manner in which a claimed apparatus is intended to be employed does not differentiate the claimed apparatus from a prior art apparatus satisfying the claimed structural limitations. Ex parte Masham, 2 USPQ2d 1647 (1987).*

Regarding claim 13, Previdi discloses the fixture (see figure 1) wherein the interference surface (10) comprising: an approximately smooth surface extending around at least a portion of a circumference of the knockout plug (1, see figures 2 and 3).

Regarding claim 14, Previdi discloses a method of providing an environmental barrier for a tapered-threaded knockout (6) of an electrical enclosure (8), comprising: placing a seal (20) on a knockout plug (1); and pressing the knockout plug (1) into the tapered-threaded knockout (6) to establish an interference between the knockout plug (1) and tapered-threaded knockout (6); wherein the knockout plug (1) is detachably coupled to the tapered-threaded knockout (6), with the seal (20) providing an environmental barrier between interior and exterior portions of the electrical enclosure (see figures 1 and 2 or column 2 lines 14-31).

Regarding claim 15, Previdi discloses the method further comprising: removing the knockout plug (1) from the electrical enclosure (8).

Regarding claim 16, Previdi discloses an electrical system (see figure 1), comprising: an electrical enclosure (8) comprising; a fitting surface (see figure 2, defined by the enclosure sidewalls adjacent to the knockout 6) that is operable to receive an interference surface (defined by flange 10) of a knockout plug (1), when a knockout plug is inserted (see figure 2); an enclosure-sealing surface (27) adjacent the fitting surface (see figure 2) that is operable to receive a seal (20), when the seal (20) is inserted on the enclosure-sealing surface (27); a pipe-fitting surface (5) disposed approximately coaxial with the enclosure sealing (27) and fitting surfaces (see figure 2); and a light fixture (not shown*) coupled to the electrical enclosure (8); wherein the pipe-fitting surface (5) is complementary to and operable (by using plug 1) to accept a conduit (30), when a conduit (30) inserted past the fitting and enclosure-sealing surfaces (see figure 2).

Note *: It is well known in the art that a light fixture is an electrical component and since the electrical enclosure is manufacture to house electrical components, a light fixture can be coupled to the enclosure. The electrical component can be mounted inside the enclosure or through the knockout opening 6.

Regarding claim 17, Previdi discloses the system (see figure 1), further comprising: a conduit (30) coupled to the pipe-fitting surface (5, by using plug 1, see figure 1).

Regarding claim 18, Previdi discloses the system (see figure 1), further comprising: a knockout plug (1) coupled to the fitting surface (see figure 2) with an interference fit (see figure 2).

Regarding claim 19, Previdi discloses the system (see figure 1), wherein the knockout plug (1) comprises: an interference surface (defined by flange 10) on an anterior the knockout plug (1) to provide an interference fit with the fitting surface (see figure 2).

Regarding claim 20, Previdi discloses the system (see figure 1), wherein the knockout plug (1) comprises: a plug-sealing surface (3) extending around a circumference of the knockout plug (1) at an anterior portion of the knockout plug (see figure 2).

Regarding claim 21, Previdi discloses the system (see figure 1), further comprising: a seal (20) seated on the plug-sealing surface (3) and complementary to the enclosure-sealing surface (27) to establish an environmental barrier between the plug and enclosure sealing surfaces (see figure 2 and column 2 lines 14-31).

Regarding claim 22, Previdi discloses the system (see figure 1) wherein the knockout plug (1) comprises: a plug-sealing surface (3) extending around a circumference of the knockout plug at a posterior portion of the knockout plug (see figure 2).

Regarding claim 23, Previdi discloses the system (see figure 1), further comprising: a seal (20) seated on the plug-sealing surface (3) and complementary to the enclosure-sealing surface (27) to establish an environmental barrier between the plug and enclosure sealing surfaces (see figure 2 and column 2 lines 14-31).

Allowable Subject Matter

5. Claim 12 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Regarding claim 12, the prior art does not teach or fairly suggest in combination with the other claimed limitations the seal comprising: an o-ring seal seated on the plug sealing and enclosure-sealing surfaces to form an environmental seal between the knockout plug and electrical enclosure.

This limitation is found in claim 12, and is neither disclosed nor taught by the prior art of record, alone or in combination.

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Dinh (US 6,180,882), Yang (US 5,147,979), Blitz (US 2,527,908), Mahaney et al (US 6,323,433), Haney et al (US 5,920,035), Pearse (US 3,927,249), Weise et al (US 6,733,345), Schaeffer (US 3,787,606), Park et al (US 4,051,322) disclose an electrical enclosure with sealing means.


7. Any inquiry concerning this communication should be directed to Angel R. Estrada at telephone number (571) 272-1973. The Examiner can normally be reached on Monday-Friday (8:30 -5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dean Reichard can be reached on (571) 272-2800 Ext: 31. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

AE

July 21, 2004



Angel R. Estrada
Patent Examiner
Art Unit : 2831